

## Audio Video Cable

Jacket Color
Cable Construction


<p><b>Packing Information</b></p> <p>Length : 100M/Coil  : 300M/Coil  : 500M/Coil</p>

### Applications

- Studio Broadcasting
- Music Hall
- Professional Show Occasions
- Home Theater

Our parallel Audio and Video Cable utilizes the finned stranded copper conductor in order to provide high quality sound/sight frequency respond to the Audio Video signal. The polyethylene, PE of which insulation is made, strengthens insulation and lowers capacitance. No oxidation and UV protection due to the use of copper wire braid. The 100% overlapped Al/P-Foil and high density copper wire braiding clears up EMI and effectively prevents noises from mechanical vibration and twist. The cable has strong flexible property soft, highly flexible PVC jacket has durability and elegant matte finish. Also provided is high quality non-migration PVC.

Physical Construction / Properties Audio	
Product Code	CM-AV2-1
Inner Conductor	Ø 30/0.12 BC
Conductor Cross Section	2x(1x0.16mm.)
Insulation	1.50mm. PE
Core Arrangements	2 Core Parallel
1 st Shield	0.11x1.12 BC
2 nd Shield	Al/P-Foil
Outer Jacket	2x4.00mm PVC (Soft-Flex),Black
Voltage Rating	300 V
Temperature Rating	80 C